

Eastern Petroleum Pvt. Ltd. an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

# **MATERIAL SAFETY DATA SHEET**

## 1. Product name and Company identification

Product Name	:	EASTTO LITHOX GREASE NLGI 2
Product use	:	Industrial use
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jawahar industrial estate, kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

## 2. Composition / Information of Ingredients

Ingredient name	CAS No.	% by wt
Mineral Base oil	64742-54-7	82 – 93
Lithium mixed base thickener	1310-66-3	5 – 15
Additives component: Anti-wear, Antirust, Antioxidant	Mixture	2 – 3

### 3. Hazards identification

Physical state	Semi solid
Human Health Effects	
Eyes	Not irritating.
Skin	Not Irritating
Inhalation	Risk is not possible under normal conditions of use.
Chemical Hazard	Non hazardous

### 4. First Aid Measures

lı	ngestion	Small quantity can cause stomach discomforts, nausea and vomiting
E	Eye contacts	In case of contact immediately wash eyes with plenty of water.
S	Skin contact	Wash the affected area repeatedly with soap and water.
h	nhalation	Remove the person to fresh air. Get medical attention.

# 5. Fire-fighting Measures

Flammability of product	Combustion is likely to give rise to a complex mixture of gases and airborne particulates, including carbon monoxide, oxides of sulphur, lead compounds and unidentified organic and inorganic compounds.
Extinguishing Media	
Suitable Not suitable	Use dry chemical, carbon dioxide ( $CO_2$ ), or foam Do not use water.

## 6. Accidental Release Measures

Personal precautions	Wear suitable protection clothing and equipment. Remove contaminated clothes
	as soon as possible.
Environmental precautions	Prevent spills to enter and spread to drains, sewers, watercourses and soil.
·	Contact local safety authorities.
Methods for cleaning up	Contain leaking product with sand, earth or other suitable inert materials.



Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

### 7. Handling and Storage

8.

Handling Storage	Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace. Store at ambient temperature or with lowest necessary heating as required for ease of handling.
Exposure Controls / Personal Protection	
Control parameters	Due to the product's semi-solid consistency, generation of mists and dusts is unlikely to occur.
Personal protection equipment	
Respiratory protection Hand protection Eye protection Skin and body protection Hygienic measures	Avoid inhalation use suitable mask with filter if necessary. Wear grease-resistant protective gloves if there is a risk of skin contact. For eyes protection wear safety goggles. Use protective cloths and gloves. Act in accordance with good industrial Hygiene and safety practice.

### 9. **Physical and Chemical Properties**

CHARACTERISTICS	EASTTO LITHOX GREASENLGI 2
Physical state	Semi solid
Colour	Dark blue
Odour	Mild
Worked Penetration @ 25°C	265 - 295
Water insoluble	Insoluble
рН	N.A
Drop Point °C	260

### 10. **Stability and Reactivity**

	Reactivity and stability Conditions to avoid Hazardous decomposition products Hazardous polymerization	Stable at normal conditions and starts to decompose at higher temperature. Excessive heating and highly oxidizing agents Hazardous decomposition products are not expected to form. Polymerization will not occur.
11.	<b>Toxicological Information</b>	
	Potential chronic health effects Carcinogenicity	No known significant effects or critical hazards.
12.	Ecological Information	
	Environment effect:	Material not expected to be harmful to aquatic organisms.
13.	Disposal considerations	
	Waste disposal procedure:	Place contaminated materials in a disposable container and dispose of in accordance with Local, State and Federal environmental regulations. Contact local environment and health authorities to get the permission for waste disposal.
14.	Transport Information	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)
15.	Regulatory Information	Not classified as hazardous.



### Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990, Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

### 16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.