

an ISO 9001-2008 certified company

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

# **MATERIAL SAFETY DATA SHEET**

1. Product name and Company identification

Product Name : EASTTO MULTIPURPOSE GREASENLGI 0

Product use : Industrial and Automotive use

Supplier : Eastern Petroleum Pvt. Ltd

235-239, Jawahar industrial estate, kamothe, Panvel,

Dist- Raigad, Maharashtra: 410209

**Telephone No.** : 91-22-2743 1694, 91-22-2743 3819.

Email : sales@easternpetroleum.in

2. Composition / Information of Ingredients

Ingredient nameCAS No.% by wtMineral base oil64742-54-786 – 93Thickener: Lithium mixture1310-66-35 – 10Additive components:Antioxidant, Antirust, Anti-wearMixture2 - 4

3. Hazards identification

Physical state Semi solid

**Human Health Effects** 

Eyes Not irritating.

Skin Not Irritating

**Inhalation** Risk is not possible under normal conditions of use.

Chemical Hazard Non hazardous

4. First Aid Measures

**Inhalation** Remove the person to fresh air. Get medical attention.

**Skin contact** Wash the affected area repeatedly with soap and water.

Eye contacts In case of contact immediately wash eyes with plenty of water.

Ingestion Small quantity can cause stomach discomforts, nausea and vomiting.

5. Fire-fighting Measures

Flammability of product Combustion is likely to give rise to a complex mixture of gases and airborne

particulates, including carbon monoxide, oxides of sulphur, lead compounds and

unidentified organic and inorganic compounds.

**Extinguishing Media** 

Suitable Use dry chemical, carbon dioxide (CO<sub>2</sub>), or foam

Not suitable Do not use water.

6. Accidental Release Measures

Personal precautions Wear suitable protection clothing and equipment. Remove contaminated clothes

as soon as possible.

**Environmental precautions** Prevent spills to enter and spread to drains, sewers, watercourses and soil.

Contact local safety authorities.

Methods for cleaning up Contain leaking product with sand, earth or other suitable inert materials.

**EASTTO MULTIPURPOSE GREASE NLGI 0** 

Revision No. 3

Date of issue: 11.12.2014 Date of revision: 23.08.2016



an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

7. Handling and Storage

Storage

Handling Handle in accordance with good industrial hygiene and safety practices. If

handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace.

Store at ambient temperature or with lowest necessary heating as required for

ease of handling.

8. **Exposure Controls / Personal Protection** 

> **Control parameters** Due to the product's semi-solid consistency, generation of mists and dusts is

unlikely to occur.

Personal protection equipment

Respiratory protection Avoid inhalation use suitable mask with filter if necessary.

Hand protection Wear grease-resistant protective gloves if there is a risk of skin contact.

Eye protection For eyes protection wear safety goggles. Skin and body protection Use protective cloths and gloves.

Hygienic measures Act in accordance with good industrial Hygiene and safety practice.

### 9. **Physical and Chemical Properties**

Characteristics	NLGI 0
Physical state	Semi Solid
Colour	Dark brown
Odour	Mild
Worked Penetration @ 25°C	355 - 385
pH	N.A
Solubility in water	Insoluble
Vapour pressure(mmHg@25)	Low
Drop Point °C	192
Auto- ignition Temperature °C	>320

### 10 **Stability and Reactivity**

Reactivity and stability Stable at normal conditions and decomposes at higher temperature

Conditions to avoid Excessive heating and highly oxidizing agents

**Hazardous decomposition products** Hazardous decomposition products are not expected to form

Hazardous polymerization Polymerization will not occur

#### 11. **Toxicological Information**

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

### 12. **Ecological Information**

# **Environment effect:**

Material not expected to be harmful to aquatic organisms.

#### 13. **Disposal considerations**

## Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State and Federal environmental regulations. Contact local environment and health authorities to get the permission for waste disposal.

### 14. **Transport Information**

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

### **15. Regulatory Information**

Not classified as hazardous.

**EASTTO MULTIPURPOSE GREASE NLGI 0** 

Date of issue: 11.12.2014 Revision No. 3 Date of revision: 23.08.2016



an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Date of issue: 11.12.2014

Date of revision: 23.08.2016

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.