

Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name : EASTTO MULTIPURPOSE GREASE NLGI 3

Product use : Industrial and Automotive use

Supplier : Eastern Petroleum Pvt. Ltd

235-239, Jawahar industrial estate, kamothe, Panvel,

Dist- Raigad, Maharashtra: 410209

Telephone No. : 91-22-2743 1694, 91-22-2743 3819.

Email : sales@easternpetroleum.in

2. Composition / Information of Ingredients

Ingredient name CAS No. % by wt

Mineral base oil 64742-54-7 76 – 88
Thickener: Lithium mixture 1310-66-3 10– 20

Additive components:

Antioxidant, Antirust, Anti-wear Mixture 2 - 4

3. Hazards identification

Physical state Semi solid

Human Health Effects

Eyes Not irritating
Skin Not Irritating

Inhalation Risk is not possible under normal conditions of use

Chemical Hazard Non hazardous

4. First Aid Measures

Inhalation Remove the person to fresh air. Get medical attention.

Skin contact Wash the affected area repeatedly with soap and water.

Eye contacts In case of contact immediately wash eyes with plenty of water.

Ingestion Small quantity can cause stomach discomforts, nausea and vomiting.

5. Fire-fighting Measures

Flammability of product Combustion is likely to give rise to a complex mixture of gases and airborne

particulates, including carbon monoxide, oxides of sulphur, lead compounds and

Date of issue: 11.12.2014

Date of revision: 23.08.2016

unidentified organic and inorganic compounds.

Extinguishing Media

Suitable Use dry chemical, carbon dioxide (CO₂), or foam

Not suitable Do not use water.

6. Accidental Release Measures

Personal precautions Wear suitable protection clothing and equipment. Remove contaminated clothes

as soon as possible.

Environmental precautions Prevent spills to enter and spread to drains, sewers, watercourses and soil.

Contact local safety authorities.



an ISO 9001-2008 certified company

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO:U24100MH1964PTC012931

Methods for cleaning upContain leaking product with sand, earth or other suitable inert materials.

7. Handling and Storage

Storage

Handle in accordance with good industrial hygiene and safety practices. If

handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace. Store at ambient temperature or with lowest necessary heating as required for

ease of handling.

8. Exposure Controls / Personal Protection

Control parameters Due to the product's semi-solid consistency, generation of mists and dusts is

unlikely to occur.

Personal protection equipment

Respiratory protection Avoid inhalation use suitable mask with filter if necessary.

Hand protection Wear grease-resistant protective gloves if there is a risk of skin contact.

Eye protection For eyes protection wear safety goggles.

Skin and body protection

Hygienic measures

Use protective cloths and gloves.

Act in accordance with good industrial Hygiene and safety practice.

9. Physical and Chemical Properties

Characteristics	NLGI 3
Physical state	Semi Solid
Colour	Dark brown
Odour	Mild
Worked Penetration @ 25°C	220 - 250
pH	N.A
Solubility in water	Insoluble
Vapour pressure(mmHg@25)	Low
Drop Point °C	192
Auto- ignition Temperature °C	>320

10 Stability and Reactivity

Reactivity and stability Stable at normal conditions and starts to decompose at higher temperature

Conditions to avoid Excessive heating and highly oxidizing agents

Hazardous decomposition products Hazardous decomposition products are not expected to form

Hazardous polymerization Polymerization will not occur.

11. Toxicological Information

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

12. Ecological Information

Environment effect:

Material not expected to be harmful to aquatic organisms.

13. Disposal considerations

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State and Federal environmental regulations. Contact local environment and health authorities to get the permission for waste disposal.

14. Transport Information Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory Information Not classified as hazardous.

EASTTO MULTIPURPOSE GREASE NLGI 3
Revision No. 3

Date of issue: 11.12.2014 Date of revision: 23.08.2016



an ISO 9001-2008 certified company Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg, (SionTrombay Road), Chembur, Mumbai - 400 071. MH, India. Tel.: +91 - 22 - 4232 4121, 2529 9990,

Date of issue: 11.12.2014

Date of revision: 23.08.2016

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in CIN NO: U24100MH1964PTC012931

16. **Other Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.