



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg,
(Sion Trombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web: www.easternpetroleum.in

CIN NO: U24100MH1964PTC012931

MATERIAL SAFETY DATA SHEET

1. Product name and Company identification

Product Name	:	EASTTO LOOM OILS 22, 32, 46, 68, 100, 150, 220
Product Use	:	Textile oils
Supplier	:	Eastern Petroleum Pvt. Ltd 235-239, Jawahar industrial Estate, Kamothe, Panvel, Dist- Raigad, Maharashtra: 410209
Telephone No.	:	91-22-2743 1694, 91-22-2743 3819.
Email	:	sales@easternpetroleum.in

2. Composition / Information of Ingredients

Ingredient name	CAS Number	% by wt
Mineral base oil	64742-65-0	98 – 99
Proprietary additives	Mixture	1 - 2

3. Hazards identification

Non dangerous substance

Physical state : Liquid

Human Health Effects

Eyes : May cause mild irritation only if directly contact with eyes.

Skin : Not expected to cause skin irritation.

Inhalation : Not expected to cause any side effect while inhalation.

4. First Aid Measures

Inhalation : If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Skin contact : Immediately wash affected area with soap and water. Remove contaminated clothing and shoes. Get medical attentions if a symptom occurs.

Eye contacts : In case of contact immediately wash eyes with plenty of water.

Ingestion : Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms occur.

5. Fire-fighting Measures

Flammability of product : Combustible liquid

Extinguishing Media

Suitable

Use dry chemical, carbon dioxide (CO₂), or foam

Not suitable

Do not use water

6. Accidental Release Measures

Personal precautions : Wear suitable protection clothing and equipment. Remove contaminated clothes as soon as possible.

Environmental precautions : Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers. Inform local authorities if this cannot be prevented. Pick up free liquid for recycling or disposal. The residual oil can be transferred to another container.

Clean up method- small spillage

Absorb liquid with sand or earth, sweep up and remove to a suitable, clearly marked container for disposal in accordance with local regulation.

Clean up methods – large spillage

Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Dispose of as for small spills.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practices. If handled at elevated temperatures or with high speed mechanical equipment, vapors or mists might be released and require a well ventilated workplace.

Storage

Store at ambient temperature or with lowest necessary heating as required for ease of handling.

8. Exposure Controls / Personal Protection

Control parameters

Use under well ventilated areas

Personal protection equipment

Respiratory protection

Avoid inhalation use suitable mask with filter if necessary.

Hand protection

Wear oil-resistant protective gloves if there is a risk of skin contact.

Eye protection

For eyes protection wear safety goggles.

Skin and body protection

Use protective cloths and gloves.

Hygienic measures

Act in accordance with good industrial Hygiene and safety practice.

9. Physical and Chemical Properties

CHARACTERISTICS	22	32	46	68	100	150	220
Physical state	Liquid	Liquid	Liquid	Liquid	Liquid	Liquid	Liquid
Odour	Mild	Mild	Mild	Mild	Mild	Mild	Mild
Kinematic viscosity @ 40 °C, cst	22	32	46	68	100	150	220
Solubility in water	Insoluble	Insoluble	Insoluble	Insoluble	Insoluble	Insoluble	Insoluble
pH	N.A	N.A	N.A	N.A	N.A	N.A	N.A
Flash point °C	180	190	190	210	220	230	230

10. Stability and Reactivity

Reactivity and stability

Stable at normal conditions and decompose at higher temperature

Conditions to avoid

Excessive heating and highly oxidizing agents

Hazardous decomposition products

Hazardous decomposition products are not expected to form during normal storage

Hazardous polymerization

Under normal conditions of storage and use, polymerization will not occur

11. Toxicological Information

Potential chronic health effects

Carcinogenicity

No known significant effects or critical hazards.

12. Ecological Information

Environment effect:

Will not have chronic effect on aquatic environment

13. Disposal considerations

Waste disposal procedure:

Place contaminated materials in a disposable container and dispose of in accordance with Local, State environmental regulations and contact local environment and health authorities to get the permission for waste disposal.



Eastern Petroleum Pvt. Ltd.

an ISO 9001-2008 certified company

Regd. Off.: Unit No. 1, Riddhi Siddhi, Corporate Park, V. N. Purav Marg,
(SionTrombay Road), Chembur, Mumbai - 400 071. MH, India.

Tel.: +91 - 22 - 4232 4121, 2529 9990,

Email: office@easternpetroleum.in, Web:www.easternpetroleum.in

CIN NO:U24100MH1964PTC012931

14. Transport Information	Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)
15. Regulatory Information	Not classified as hazardous.
16. Other Information	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with any other materials or in any process, unless specified in the text.